

## **Crypton Fabric Technical Specifications**

		e. jp.c.i
Applications	High Use Seating: Healthcare, Hotel, Restaurants, Public Spaces	
ppiloutions	Any area with a high demand for stain repellency, ease of cleaning, and preventing stains	
	and liquids from penetrating cushions, and resistance to odor and mildew	
Moisture Barrier	Hydrostatic Resistance (AATCC 127, minimum 100 cm)	
	5-Year warranty on permanent moisture barrier	
Fabric Types	Flat Woven	•
	Knits	•
	Textured (i.e. chenilles, velours, boucle', etc.)	•
	Prints	•
Fiber Types	Synthetics (i.e. polyester, nylon, polypropylene, acrylic, etc.)	
	Natural (i.e. cotton, wool, etc.)	•
	Polyester with UV-Resistant Dyes (package dyed for color flexibility)	•
	Solution Dyed (polyester or acrylic for maximum color fastness)	•
Repellency	Water / IPA Drop (AATCC 193 ≥ 3,4 max)	
	Spray Rating (AATCC 22, 80-100 of 100 max)	
Cleanability	Stain Resistance (Class 4-5)	•
(out of 5 max)	Durable to cleaning with variety of cleaners	•
	Acceptable Bleach Cleaning:	polyester pkg dyed
	10% Bleach for 10 min & rinse	or solution dyed
	High Concentration Bleach or Long-Term Exposure to Bleach (not recommended)	solution dyed only
	Can be maintained easily with soap and water. No need for harsh solvents	•
Flammability	CALTB 117, NFPA 260, UFAC	
	Upon request: FMVSS 302	
	Upon request: IMO, EN1021-1/2, Crib V, Boston	•
Performance		
Properties	Moisture Barrier (AATCC 127, 100 CM Suter & 5-yr Warranty)	•
	Stain Resistance (Class 4-5)	•
	Resistance to Crocking (AATCC 8, Class 3 Wet / 4 Dry)	•
	Resistance to Crocking (AATCC 8, Class 4 Pkg Dye / 5 Soln Dye)	
	Tongue Tear Strength (ASTM D 2261, min. 4 lb-f) Tanaila Strength (ASTM D 5024 min. 50 lb. f)	•
	Tensile Strength (ASTM D 5034, min. 50 lb-f)	•
	Seam Slippage (ASTM D 4034, Min. 25 lb-f) Wyzenbeek (ASTM D 4157 cotton duck, min. 50k Double Rubs)	•
	Wyzenbeek (ASTA D 4157 collon ddck, min. 50k Double Rubs)	•
Silver Ion	Resistance to Antimicrobial (AATCC 100)	•
Odor Resistance	Resistance to Bacterial Growth (ISO 20743)	•
	Resistance to Fungal Growth (AATCC 30)	•
Environmental*	PFAS-free	
	Third-party GREENGUARD Gold Certified	
	ANSI / NSF 336, the US sustainability standard	•
	Extends the useful life of fabric	
	No Halogenated Flame Retardants (i.e. PBDEs)	
	Is not bio-accumulative or toxic	
	Does not require CA Proposition 65 warning label	
	Does not contribute to environmental pollution – Free of PFCs and PFASs of concern	
	Free of potentially harmful levels of formaldehyde, heavy metals, phenols, phthalates, odor and skin sensitizers	•
Disinfectable	Crypton Fabric, when used in conjunction with EPA-registered Crypton Disinfectant and Deodorizer,	•
	create a disinfectable system killing MRSA, HIV, E Coli, Hepatitis and many more bacteria and viruses	

\* Health Product Declaration is available